




Gabbar Tech

MANUFACTURER & EXPORTER OF
WOVEN SACK MACHINERY



Gabbar Industries Pvt. Ltd.



WOVEN SACK BAG CUTTING & STITCHING MACHINE



SPECIFICATIONS

MAIN FEATURES:

- Suitable for PP/HDPE/BOPP Woven sack bag
- Equipped with servo motor for precise cutting length(± 1 mm)
- Equipped with high quality alloy steel cutter
- Equipped with bag mouth anti-stick device
- Equipped with Web guide system
- Pneumatic lifting at un-winder to lift roll of 400 kg

MODEL

Diameter of unwinding cloth	1300 mm maximum applicable
Width of unwinding cloth	16-32 Inch adjustable
cutting Length	17-55 Inch adjustable
Production output	32-40 bag/minute depend upon bag size
Print mark sensor	Precise cutting of Printed roll
Folding Device	Single Folder & Double folder attachment
Sewing unit	4500 RPM,1HP
Length Accuracy	± 1 mm range
Cold Cutting(Laminated Bag)	High speed roadless cylinder
Hot Cutting(Un-laminated bag)	High quality alloy steel cutter with Tubular Heater
Connected Load	8HP

BCS-35

OPTIONAL FEATURES:

- Zig-Zag heat cutter
- Air Compressor 5 HP at customer scope
- Perforation attachment
- "D" Punch attachment

AUTOMATIC WOVEN SACK BAG CUTTING SYSTEM



SPECIFICATIONS

MAIN FEATURES:

- Suitable for PP/HDPE/BOPP Woven sack bag
- Equipped with servo motor for precise cutting length(± 1 mm)
- Equipped with high quality alloy steel cutter
- Equipped with bag mouth anti-stick device
- Equipped with Web guide system
- Pneumatic lifting at un-winder to lift roll of 400 kg

MODEL

Model No.	FCM-45
Diameter of unwinding cloth	1300 mm maximum applicable
Width of unwinding cloth	16-32 Inch adjustable
cutting Length	19-50 Inch adjustable
Production output	45-60 bag/minute depend upon bag size
Length Accuracy	± 1 mm range
Cold Cutting(Laminated Bag)	High Speed shearing cutter
Hot Cutting(Un-laminated bag)	High quality alloy steel cutter with Tubular Heater
Print mark sensor	Precise cutting of printed bags
Connected Load	5 HP

OPTIONAL FEATURES:

- Zig-Zag heat cutter
- D-Punch attachment
- Air Compressor 3 HP at customer scope

WOVEN SACK BAG GUSSETING CUTTING MACHINE



SPECIFICATIONS

MAIN FEATURES:

- Suitable for PP/HDPE/BOPP Woven sack bag
- Equipped with servo motor for precise cutting length($\pm 1\text{mm}$)
- Equipped with high quality alloy steel cutter
- Equipped with bag mouth anti-stick device
- Equipped with Web guide system
- Pneumatic lifting at un-winder to lift roll of 400 kg

MODEL

Diameter of unwinding cloth

Width of unwinding cloth

cutting Length

Production output

Print mark sensor

Length Accuracy

Gusseting assembly

Cold Cutting(Laminated Bag)

Hot Cutting(Un-laminated bag)

Connected Load

FCM-G-45

1300 mm maximum applicable

16-32 Inch adjustable

19-50 Inch adjustable

45-60 bag/minute depend upon bag size

Precise cutting of printed bags

$\pm 1\text{mm}$ range

Straight & Twist Gusset of max 4"

High Speed shearing cutter

High quality alloy steel cutter with Tubular Heater

3.5 HP

OPTIONAL FEATURES:

- Zig-Zag heat cutter
- Air Compressor 3 HP at customer scope
- Folder for 19" to 24"
- Folder for 24" to 29"

WOVEN SACK JUMBO BAG CUTTING MACHINE



SPECIFICATIONS

MAIN FEATURES:

- Suitable for PP/HDPE Jumbo bag
- Equipped with servo motor for precise cutting length(± 1 mm)
- Equipped with high quality alloy steel cutter with pneumatic movement
- Equipped with Web guide system
- Pneumatic lifting at un-winder 600 Kg

MODEL

Width of unwinding cloth	As per requirement
cutting Length	600-5000 mm applicable
Production output	55 mtr/min@ 2mtr length
Length Accuracy	± 1 mm range
Hot Cutting(Un-laminated bag)	High quality alloy steel cutter with Tubular Heater
Power	5 HP
Spout attachment	As per requirement

GJC-55/GJC-55-S

OPTIONAL FEATURES:

- Punching unit of "X" Hole and "O" Hole
- Air Compressor 5 HP at customer scope

WOVEN SACK BAG TO BAG FLEXO PRINTING MACHINE



SPECIFICATIONS

MAIN FEATURES:

- Suitable for PP/HDPE woven sack bags
- Compact and sturdy construction
- Easy to maintain and economical
- All rollers micro balanced
- Anilox roller for sharp printing & low ink consumption

MODEL

Printing Possibilities
Bag Processing Size(WxL)
Printing Size(WxL)
Production output
Stereo

GE-FLEXO

Two/Three/Four color
32"X50"(customized as per requirement)
28"X45"(customized as per requirement)
1500 bags/Hour
Rubber/Nylon with max thickness 6mm

POWER CONSUMPTION:

1HP for Single color
2HP for Two & Three Color
3 HP for Four colors

AREA REQUIRED

Single color (WXLXH):9feetX4feetX2.5 feet
Two color (WXLXH):14feetX4feetX2.5 feet
Three color (WXLXH):18feetX4feetX2.5 feet
Four color (WXLXH):22feetX4feetX2.5 feet

WOVEN SACK BAG STITCHING MACHINE

SPECIFICATIONS

MAIN FEATURES:

- Suitable for PP/HDPE/Multiwall paper and other woven sack fabric
- Equipped with bobbinless stitching system for high production
- Cotton or synthetic yarn and plastic tape can be used
- Easily convertible in single needle machine
- Distance between two stitch is adjustable
- Equipped with auto lubrication and oil recycling system for long self life
- Easy availability of parts



MODEL

Max speed
working Speed
Seam
Distance between two needle
Stitch Length
Material thickness
Needle size
Thread
Power
Net weight
Lubrication

ST- 502 HD

2500 RPM
2800 RPM(Depend upon fabric)
Twin-Seam,Each Double thread chain stitch
6mm
11 to 18 per 100 mm(adjustable)
Upto 8mm
DNX1#25.26(Depend on Fabric)
HDPE or Synthetic/Cotton
1/2 HP Clutch motor(Single Phase)
42 Kgs
Automatic

AUTOMATIC BAG CLOSING SYSTEM



SPECIFICATIONS

MAIN FEATURES:

- Suitable for Fertilizer, Sugar, Rice, Flour, Poultry feed, Powder milk etc
- Study design with ease of operation for closing mouth of filled bags
- Main Housing sealed to resist dirt and other particles
- Provision of variable speed pulley for synchronization with existing conveyor
- Stitching width is adjustable from 5mm to 9mm
- Capable to stitch HDPE/PP/Jute/Polyjute/Hessian & Craft thread

MODEL

WOODEN CONVEYOR

BELT CONVEYOR

Speed	10 mtr/min	10 mtr/min
Drive motor	Variable as per size	Variable as per size
Conveyor Type	Wooden Slat	Green PVC/Black checker Belt
Conveyor Height	350mm	350mm
Conveyor width	400mm	400mm
Conveyor Length	2 to 10 mtr	2 to 10 mtr

We are make a export quality woven sack machinery under the experienced engineer



WE ARE SERVING ALL OVER THE WORLD



Gabbar Industries Pvt. Ltd.

Plot No. 3606, 1, Krishna Industrial Estate,
G.I.D.C., Phase-IV, Vatva, Ahmedabad - 38 24 45.
Phone : 079 - 4008 3226
Cell : +91- 98790 39000 / 7567399082 / 9825323398



E-mail : contact@gabbarindustries.com
sales@gabbarindustries.com
marketing@gabbarindustries.com

www.gabbarindustries.com